




DOOR DESIGNS




10




11




20




22




30




32




40




42




50




52




70




72




80




82




90




92




SLAB



10G




10G4
w/grids




10G6
w/grids



DF1S (Solid Slab)
DF1V (Veneer Slab)















DF2















DF3

Inside Edge Profiles - Cope & Stick Doors



Inside Edge Profiles - Mitred Doors


















Standard stile and rail width is 2 1/4" - 3 & 3 1/2" widths available for a small up-charge, please specify upon order

Mitred Stile and Rail Doors

Door Profile

Drawer Front Profile


















Note: No selections required for inside or outside edge profiles

Mitred Stile and Rail Doors

Door Profile


Drawer Front Profile





Note: No selections required for inside or outside edge profiles

Mitred Stile and Rail Doors

Door Profile




Drawer Front Profile







Mitred Stile and Rail Doors with Recessed Bead/Rope Mouldings

Door Profile



Drawer Front Profile



Insert




Bead
 Moulding




Rope
 Moulding


Outside Edge Profiles for Doors and Drawers




EP0




EP5




EP1




EP6




EP2




*EP7




EP3



EP8
(EASED)









EP4




EP9

Outside Edge Profiles for Doors and Drawers





SLAB DOOR & DRAWER ONLY PROFILE

*Slab drawer front only option




SLAB DRAWER ONLY PROFILES

*Slab drawer front only option




Center Panel Profiles


SOLID RAISED PANEL PROFILES




PP1




PP2



PP3




PP4




PP5

Bead centered (1 1/2" spacing)
 other spacing options available




PP6

V-Groove centered (1 1/2" spacing)
 other spacing options available




PP10

Groove centered (2" spacing)
 other spacing options available





PP7



PP9


Center Panel Profiles

VENEER FLAT PANEL PROFILES




V-Groove centered (1 1/2" spacing)
other spacing options available


Applied Moulding Doors




APM001
 5/8" x 15/16"




APM002
 11/16" x 1 5/16"



APM003
 1/2" x 3/4"




APM004
 5/8" x 7/8"




APM005
 1/2" x 13/16"



APM006
 1/4" x 9/16"




APPLIED MOULDING ON RAISED PANEL DOOR
 - PANEL PROFILE #1 SHOWN




APPLIED MOULDING ON 1/4" FLAT PANEL DOOR

Cross-Section of Raised Panel Door

Finished Thickness is 3/4"



Door & Drawer Front Parts/Grain Direction




Exploded Door

Bevel Edge Option


15 degree bevel available on any edge profile

Example:



Bevel edge may not accommodate concealed hinge

Salice Hinge Boring Detail




Blum and Grass hinge boring available, please specify tab depth, and distance from end of door.

Doors 48" and under will be bored for 2 hinges
 Doors over 48" will be bored for 3 hinges
 (see pricing)


Salice Hinge C2R9A99
 Salice Plate BAU3E49 } 1/2" Overlay

Standard Finger Pull Overlay



SLAB DOOR SPECIFICATIONS


- * Slab doors will have 2 battens, 1 3/4" wide, 6" from top & bottom, 1 3/4" from hinge side edge of door.
- * If door is less than 20" tall, the battens will be 3" from top & bottom.
- * If door is less than 10" tall, only 1 batten per door is used. It will be centered on door.
- * If door is more than 36" in height, 3 battens will be used. One centered, one 6" from top, one 6" from bottom.



SLAB DOOR (SD)

SLAB DOOR - with v-groove (SDV)




Groove Centered then 1 1/2" Spacing
 other spacing options available



Detail A




SLAB DOOR - with bead (SDB)

Bead Centered then 1 1/2" Spacing
other spacing options available



Detail B


SLAB DOOR - woodland (SDW)



Detail C


Cope & Stick Wainscot Panels

Available in 1-6 Panels, adjust sku # according to # of panels



10WPR3
10WPF3

Mitre Wainscot Panels



10WPR3M
10WPF3M

Custom Arch Panels

