



Stanisci Design™ is pleased to present it's line of high quality wood range hoods and arched valances. Our hoods can be purchased with UL listed stainless steel liners or value liners for a truly turn-key ventilation solution. Just apply your finish and install.

#### Stanisci Design provides:

- Full 2020 catalog which allows for size modifications
- Special discount program for high volume users
- Removable panel options on most hoods
- High quality at attractive prices
- Short lead times with on time delivery
- Firm cost, no material or labor cost surprises
- Pre-engineered hood designs, matching valances and ventilation packages
- Full line of in stock ventilation solutions
- C.A.R.B. Compliance
- Ready-to-Finish sanded to 180 grit







***Stanisci Design sells to the trade only***

Stanisci Design uses only the finest materials. Range hoods often become the focal point of the kitchen. Great care is taken to center the grain for a uniform and professional appearance. All solid wood components are hand selected for color. All Stanisci Design Products are C.A.R.B compliant. Hoods are sanded to 180 grit.






**H2RA Shown with Sorrento Hood Supports and Traditional Corbels**

### FRAMES



### PANELS



Shown here are the two molding packages available.

These moldings are supplied on the G, T, I, E, J, S, A, W and H, H2 Series




**Molding Package 1**  
**Classic**



**Molding Package 2**  
**Simple**

---

These moldings are supplied on the B, D, L, N, O, R, U, X Series



**Molding Package 1**  
**Classic**



**Molding Package 2**  
**Simple**

**Bill To:**  
 Company Name \_\_\_\_\_ Contact \_\_\_\_\_  
 Street \_\_\_\_\_  
 City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
 Phone \_\_\_\_\_ Fax \_\_\_\_\_  
 PO # \_\_\_\_\_ Job Name \_\_\_\_\_ Exp Date \_\_\_\_\_ Sec \_\_\_\_\_  
 Credit (MC, VS, AMEX, Dis)


**Ship To:**  
 Name: \_\_\_\_\_  
 Street \_\_\_\_\_  
 City, State, Zip \_\_\_\_\_ Fax \_\_\_\_\_  
 Phone \_\_\_\_\_

\*\*See wholesale price guide for payment options.

Molding Packages (Does not include upper crown)


Package 1

Series B, D, L, N, O, R, U




Package 2


Series B, D, L, N, O, R, U



Series G, T, I, J, S, A, H, H2, W



Series G, T, I, J, S, A, H, H2, W



Hood, Valance, (Item SKU)	Species	Width	Height
1			
2			

Hood Support	Flat, Panel, Hybrid	Bottom Plate	Door Front

**OPTIONS**

- Spice Racks (W & O Series)
- Rainbow Arch (M-Series upper panels)
- Veneer Delete Option (E, D and B Series)
- Removable Top Panel (M,Q)
- Applied Mld - Removable (T,G,I,J)
- Valance Options**
- Window Valance Top Option, Yes
- Window Valance Pilaster
- Window Valance Slab Side

**Liners**

- Pro Mesh
- Pro Baffle

**Blower units**


- LM 600 CFM internal
- SM 600 CFM premium int
- SM 1000 CFM internal
- SM 1200 CFM internal
- 600 CFM external
- 1200 CFM external
- 1500 CFM external

SM600-(axial motor) w/ wiring that will convert CFM from 600 to 300


(available to customers needing 300 CFM or less to meet building code requirements)

Value Liner 390 CFM

**Frame**




441



445



446



448


**Panel**



BASIC



COVE



OGEE




FLAT



This page left intentionally blank

### ***Sloped / Chimney Hoods***



G-Series wall mount range hood for 96" tall ceilings Page 9



I-Series Island/Ceiling mount range hood Page 17



J-Series wall mount range hood Page 19



T-Series wall mount range hood for 108" or taller ceilings Page 13

### ***Curved Hoods***



B-Series curved wall mount range hood Page 23



D-Series wall mount range hood Page 25




E-Series curved wall mount range hood Page 27

### ***Mantel Hoods***



A-Series wall mount range hood Page 29



M-Series wall mount range hood Page 31



Q-Series wall mount range hood Page 35



R-Series wall mount range hood Page 37




S-Series wall mount range hood Page 39




X-Series (hybrid) wall mount range hood. Page 41

### Mantel Hood with Legs – Not to counter



H2-Series wall mount range hood. Page 43




H-Series wall mount range hood Page 45



L-Series wall mount range hood Page 47



N-Series wall mount range hood Page 49



U-Series wall mount range hood. Page 51

### Mantel Hoods with legs to counter




W-Series wall mount range hood Page 55




O-Series wall mount range hood Page 57

### Sorrentos – can be added to hoods



Sorrento Hood Supports Page 59

### Custom Hoods



Customs - Hoods of your design Page 63

### Value Line Hoods – No Modifications




Vchim – value wall mount Separate sheet



VMtl – mounts to cabinets (not wall mount) Separate sheet

### Ventilation



Professional Mesh Liners Page 65



Professional Baffle Liner Page 67



Value Liners Page 71



**Standard Base with Base and Chimney Applied  
Pierced Grape Carving & Molding Package 1  
36" unit shown**

Top Crown Molding is not included\*


G-Series hoods are available in standard widths to fit up to a 60" cook top (36" pictured). Custom widths, heights and depths are available. The standard hood height accommodates an 8 foot ceiling, although the chimney can be trimmed. Additional charges apply for extended chimney heights.

G hoods have an applied molding removable panel option. The removable panel is an elegant look and aids in installation.

**Option** No charge molding package 2 is now available for a simpler, cleaner look, see page 5 for details.


See ventilation section for available liner/ventilators.

Removes for easy access  
(see price sheets for details)



30" w/ std. base  
32" w/ arched  
base


Applied molding – access panel  
option shown on a standard base G.  
Order ARP option



G- Standard Hood

\*Access panel option is available

G 36  
G 42  
G 48  
G 54  
G 60



G- Applied Grape Base Carving

\*Access panel option is available

GEB 36  
GEB 42  
GEB 48  
GEB 54  
GEB 60



G- Applied Grape Base and Chimney Carving

\*Access panel option is available


GEBT 36  
GEBT 42  
GEBT 48  
GEBT 54  
GEBT 60



G- Raised Panel Arched Base

\*Access panel option is available


GRA 36  
GRA 42  
GRA 48  
GRA 54  
GRA 60



G- Decorative Arched Base

\*Access panel option is available


GDP1 36  
GDP1 42  
GDP1 48  
GDP1 54  
GDP1 60



G- Standard Base w/ Beaded Top

\*Access panel option is available


GBT 36  
GBT 42  
GBT 48  
GBT 54  
GBT 60



G- Applied Grape Base Carving w/ Beaded Top

\*Access panel option is available

GBTEB 36  
GBTEB 42  
GBTEB 48  
GBTEB 54  
GBTEB 60



G- Applied Grape Base and Chimney Carving w/ Beaded Top

\*Access panel option is available


GBTEBT 36  
GBTEBT 42  
GBTEBT 48  
GBTEBT 54  
GBTEBT 60



G- Raised Panel Arched Base w/ Beaded Top


\*Access panel option is available

GRABT 36  
GRABT 42  
GRABT 48  
GRABT 54  
GRABT 60




G- Decorative Arched base w/ Beaded Top  
\*Access panel option is available

GDP1BT 36  
GDP1BT 42  
GDP1BT 48  
GDP1BT 54  
GDP1BT 60



G- Standard Base w/ Removable Raised Panel Top

GRT 36  
GRT 42  
GRT 48  
GRT 54  
GRT 60





G- Applied Grape Base Carving  
with Removable Raised Panel Top

GRTEB 36  
GRTEB 42  
GRTEB 48  
GRTEB 54  
GRTEB 60



G- Raised Panel Arched Base  
w/ Removable Raised Panel Top

GRART 36  
GRART 42  
GRART 48  
GRART 54  
GRART 60



**Sorrento Hood Supports are  
available for this hood**




This page left intentionally blank



T-Series with optional arched base and molding package 1

Top Crown Molding is not included\*

Removes for easy access  
(see price sheet for details)




Applied Molding – Access panel option shown on a standard base T

T-Series hoods are available in standard widths to fit up to a 60" cook top (36" pictured). Custom widths, heights and depths are available. The standard hood height accommodates a 9 foot ceiling, although the chimney can be trimmed. Additional charges apply for extended chimney heights.

T Series hoods have an applied molding removable panel option. This panel is an elegant look and it aids in installation.


**Option** no charge molding package 2 is now available for a simpler, cleaner look, see page 5 for details.

See ventilation section for available liner/ventilators.



T- Standard Hood  
\*Access panel option is available

T 36  
T 42  
T 48  
T 54  
T 60



T- Applied Grape Base Carving  
\*Access panel option is available

TEB 36  
TEB 42  
TEB 48  
TEB 54  
TEB 60




T- Applied Grape Base and Chimney Carving  
\*Access panel option is available

TEBT 36  
TEBT 42  
TEBT 48  
TEBT 54  
TEBT 60




T- Raised Panel Arched Base  
\*Access panel option is available

TRA 36  
TRA 42  
TRA 48  
TRA 54  
TRA 60




T- Decorative Arched Base  
\*Access panel option is available

TDP1 36  
TDP1 42  
TDP1 48  
TDP1 54  
TDP1 60



T- Standard Base w/ Beaded Top  
\*Access panel option is available

TBT 36  
TBT 42  
TBT 48  
TBT 54  
TBT 60



T- Applied Grape Base Carving  
w/ Beaded Top  
\*Access panel option is available

TBTEB 36  
TBTEB 42  
TBTEB 48  
TBTEB 54  
TBTEB 60




T- Applied Grape Base and Chimney  
Carving w/ Beaded Top  
\*Access panel option is available

TBTEBT 36  
TBTEBT 42  
TBTEBT 48  
TBTEBT 54  
TBTEBT 60




T- Raised Panel Arched Base  
w/ Beaded Top  
\*Access panel option is available

TRABT 36  
TRABT 42  
TRABT 48  
TRABT 54  
TRABT 60




T- Decorative Arched base w/ Beaded Top  
\*Access panel option is available

TDP1BT 36  
TDP1BT 42  
TDP1BT 48  
TDP1BT 54  
TDP1BT 60



T- Standard Base w/ Removable Raised Panel Top

TRT 36  
TRT 42  
TRT 48  
TRT 54  
TRT 60





T- Applied Grape Base Carving with Removable Raised Panel Top

TRTEB 36  
TRTEB 42  
TRTEB 48  
TRTEB 54  
TRTEB 60



T- Raised Panel Arched Base  
w/ Removable Raised Panel Top

TRART 36  
TRART 42  
TRART 48  
TRART 54  
TRART 60



**Sorrento Hood Supports are available for this hood.**




This page left intentionally blank



Shown with applied grape molding top and bottom and molding package 1

Top crown molding not included

One side removes for easy access  
(see price sheet for details)



Applied molding on two sides – One side is removable  
Order ARP option


I-Series Island hoods are available in standard widths to fit up to a 60" cook top (42" pictured). Custom widths, heights and depths are available. The hood design allows differing chimney heights to accommodate all standard ceiling heights. I Series Hoods include a concealed ceiling mounting system. I-Series should not be trimmed on site.

Island hoods should be 6" wider than the cooking surface if possible.

**New Option** no charge molding package 2 is now available for a simpler, cleaner look, see page 5 for details.

I-Series range hoods have an applied molding removable panel option. Applied molding is applied to two sides with one side being removable.


See ventilation section for available liner/ventilators.



I- Standard Hood

\*Access panel option is available

I 36  
I 42  
I 48  
I 54  
I 60



I- Applied Grape Base Carving (two sides)

\*Access panel option is available

IEB 36  
IEB 42  
IEB 48  
IEB 54  
IEB 60



I- Applied Grape Base and Chimney Carving (two sides)

\*Access panel option is available

IEBT 36  
IEBT 42  
IEBT 48  
IEBT 54  
IEBT 60



I- Arched Base (two sides)

\*Access panel option is available


IRA 36  
IRA 42  
IRA 48  
IRA 54  
IRA 60



I- Decorative Arched Base (two sides)

\*Access panel option is available


IDP1 36  
IDP1 42  
IDP1 48  
IDP1 54  
IDP1 60



I- Standard Hood w/ Beaded Top

\*Access panel option is available

IBT 36  
IBT 42  
IBT 48  
IBT 54  
IBT 60



I- Applied Grape Base Carving (two sides) w/ Beaded Top

\*Access panel option is available

IBTEB 36  
IBTEB 42  
IBTEB 48  
IBTEB 54  
IBTEB 60



I- Applied Grape Base and Chimney Molding (two sides) w/ Beaded Top

\*Access panel option is available


IBTEBT 36  
IBTEBT 42  
IBTEBT 48  
IBTEBT 54  
IBTEBT 60



I- Decorative Arched Base (two sides) w/ Beaded Top

\*Access panel option is available



IDP1BT 36  
IDP1BT 42  
IDP1BT 48  
IDP1BT 54  
IDP1BT 60





Standard base with bead board and molding package 1, 39 x 30 unit shown

ARP- Applied molding removable panel option



The J-Series Hood is designed to mount between cabinets. It gives the popular chimney style look while keeping the run of cabinets continuous. It is available in sizes to fit up to a 60" range. Custom widths, heights and depths are available. The hood must be 3" wider than the range.

Order the liner smaller than the hood for proper fit, i.e. 39" hoods get 36" liners. See the ventilator section for more information.

**New Option** no charge molding package 2 is now available for a simpler, cleaner look, see page 5 for details.


The applied molding removable panel option is available on all J series range hoods.

Standard heights of 30, 36 and 42" (custom heights available)

### J- Standard Hood

\*Access panel option is available, order ARP


J 33  
J 39  
J 45  
J 51  
J 57  
J 63



### J- Applied Grape Base Carving

\*Access panel option is available, order ARP


JEB 33  
JEB 39  
JEB 45  
JEB 51  
JEB 57  
JEB 63



### J- Applied Base and Chimney Carving

\*Access panel option is available, order ARP


JEBT 33  
JEBT 39  
JEBT 45  
JEBT 51  
JEBT 57  
JEBT 63



### J- Raised Panel Arched Base

\*Access panel option is available, order ARP


JRA 33  
JRA 39  
JRA 45  
JRA 51  
JRA 57  
JRA 63



### J- Decorative Panel Base

\*Access panel option is available, order ARP


JDP1 33  
JDP1 39  
JDP1 45  
JDP1 51  
JDP1 57  
JDP1 63



### J- Beaded Top

\*Access panel option is available, order ARP


JBT 33  
JBT 39  
JBT 45  
JBT 51  
JBT 57  
JBT 63



### J- Applied Grape Base Carving W/Beaded Top

\*Access panel option is available, order ARP


JBTEB 33  
JBTEB 39  
JBTEB 45  
JBTEB 51  
JBTEB 57  
JBTEB 63



### J- Applied Grape Base and Chimney Carving w/Beaded Top

\*Access panel option is available, order ARP

JBTEBT 33  
JBTEBT 39  
JBTEBT 45  
JBTEBT 51  
JBTEBT 57  
JBTEBT 63



### J- Raised Arched Base w/Beaded Top

\*Access panel option is available, order ARP

JRABT 33  
JRABT 39  
JRABT 45  
JRABT 51  
JRABT 57  
JRABT 63



Standard heights of 30, 36 and 42" (custom heights available)

J- Decorative Panel base w/ Beaded Top

\*Access panel option is available,  
order ARP

JDP1BT 33



JDP1BT 39

JDP1BT 45

JDP1BT 51

JDP1BT 57

JDP1BT 63



**Sorrento Hood Supports are  
available for this hood.**



This page left intentionally blank



B-Series hood 36 x 42 depicted with DP1 base

Top crown molding not included



BDP1-Series 54 x 42 shown with molding package 1, and Sorrento Hood Supports


Top crown molding not included

B-Series hoods are available in standard widths to fit up to a 60" cook top (36" pictured). Custom widths, heights and depths are available. This hood has a stain grade curved top. The hood comes in three standard heights: 30, 42 and 48". This hood should not be trimmed in the field.

**Option** no charge molding package 2 is now available for a simpler, cleaner look, see page 5 for details.

See ventilation section for available liner/ventilators.


**Delete veneer option**, faced with 3/8" Lauan to receive your special plaster finish (not suitable for painting). Center molding shipped loose.



Standard heights of 30, 36 and 42" (custom heights available)


### B- Standard Hood

B 36  
B 42  
B 48  
B 54  
B 60




### B- Raised Arched Base

BRA 36  
BRA 42  
BRA 48  
BRA 54  
BRA 60





### B- Decorative Panel Base 1

BDP1 36  
BDP1 42  
BDP1 48  
BDP1 54  
BDP1 60



### B- Decorative Panel Base 2

BDP2 36  
BDP2 42  
BDP2 48  
BDP2 54  
BDP2 60



**Sorrento Hood Supports are available for this hood.**



D-Series hood 36 x 42 depicted with decorative panel base and molding package 2.

Top crown molding not included




D-Series 54 x 48 shown with molding package 1, CBL-PRV7 and Corbel Plinth blocks. Top crown molding not included

D-Series hoods are available in standard widths to fit up to a 60" cook top (36" pictured). Custom widths, heights and depths are available. This hood has a stain grade curved top. The hood comes in three standard heights: 30, 42 and 48". The hood should not be cut down in the field.

**New Option** no charge molding package 2 is now available for a simpler, cleaner look, see page 5 for details.

See ventilation section for available liner/ventilators.


**Delete veneer option**, faced with 3/8" Lauan to receive your special plaster finish (not suitable for painting).



Standard heights of 30, 36 and 42" (custom heights available)


### D- Standard Hood

D 36  
D 42  
D 48  
D 54  
D 60





### D- Raised Arched Base

DRA 36  
DRA 42  
DRA 48  
DRA 54  
DRA 60



### D- Decorative Panel Base

DDP1 36  
DDP1 42  
DDP1 48  
DDP1 54  
DDP1 60



**Sorrento Hood Supports are available for this hood.**



E-Series hoods are available in standard widths to fit up to a 60" cook top (42" pictured). Custom widths, heights and depths are available. This hood has a stain grade curved top. The hood comes in three standard heights: 30, 42 and 48". The hood should not be cut down in the field.

**Banding Option:** Banding is shipped loose to be installed after finish. Decorative nails are used for attachment.


**New Option** no charge molding package 2 is now available for a simpler, cleaner look, see page 5 for details.

**Delete veneer option,** faced with bending lauan to receive your special plaster finish (not suitable for painting).

See ventilation section for available liner/ventilators.


E-Series hood with standard base 42 x 42 depicted with options Satin Pewter Banding and molding package 1.

Top crown molding not included




### E- Standard Hood

- E 36
- E 42
- E 48
- E 54
- E 60




### E- Applied Grape Base Carving

- EEB 36
- EEB 42
- EEB 48
- EEB 54
- EEB 60





### E- Raised Panel Arched Base

- ERA 36
- ERA 42
- ERA 48
- ERA 54
- ERA 60



### E- Decorative Panel Base

- EDP1 36
- EDP1 42
- EDP1 48
- EDP1 54
- EDP1 60



*Must Specify height, should not be cut down in the field  
Call for custom widths / heights*

**Sorrento Hood Supports are available for this hood.**



A-Series with standard base, pierced grape molding and molding package 1


Crown molding is not included

The A-Series is available in standard sizes to fit up to a 60" cook top. Custom widths, heights and depths are available. It is constructed from solid wood and veneer core plywood. The bead board panel on the A-Series removes for easier installation. Recess in the display niche fits 3" puck lights.

Order the liner 3" smaller than the hood for proper fit, i.e. 39" hoods get 36" liners. See the ventilator section for more information.

**New Option** no charge molding package 2 is now available for a simpler, cleaner look. See page 5 for details.


\*\*\*The A-Series is not available in a 24" height.



Standard heights of 30, 36 and 42" (custom heights available)


### A- Standard Hood

A 33  
A 39  
A 45  
A 51  
A 57  
A 63




### A- Raised Panel Arched Base

ARA 33  
ARA 39  
ARA 45  
ARA 51  
ARA 57  
ARA 63




### A- Decorative Panel Base

ADP1 33  
ADP1 39  
ADP1 45  
ADP1 51  
ADP1 57  
ADP1 63




### A- Applied Grape Base Carving

AEB 33  
AEB 39  
AEB 45  
AEB 51  
AEB 57  
AEB 63




### A- Acanthus Base

AAB 33  
AAB 39  
AAB 45  
AAB 51  
AAB 57  
AAB 63



### A- Acanthus

AABT 33  
AABT 39  
AABT 45  
AABT 51  
AABT 57  
AABT 63




**Sorrento Hood Supports are available for this hood.**


The M-Series is constructed from solid wood and veneer core plywood. It is available in standard sizes to fit up to a 60" cook top. Custom widths, heights and depths are available.

The panel above the shelf on the M-Series removes for easier installation. The removable panel is a **no cost option**. The case will be the stated dimension and the front panel will overhang the sides 1/16" on the left and right, i.e. the sides of a 36" M will be 36" the face panel will be 36-1/8". Order option MRP.

See ventilation section for available liner/ventilators.



Standard heights of 24, 30, 36, 42 and 48" (custom heights available)




**M with shelf and corbels specify style – next page**

Standard shelf has a routed profile detail

### M- Four Panel Front w/o Shelf\*\*


- M 30
- M 36
- M 42
- M 48
- M 54
- M 60



**Sorrento Hood Supports are available for this hood**

### M- Two Panel Front w/o shelf\*\*

- MDP 30
- MDP 36
- MDP 42
- MDP 48
- MDP 54
- MDP 60



*\*\*Removable panel option is not available on this style*

Standard heights of 24, 30, 36, 42 and 48" (custom heights available)

### M- w/ Shelf and Acanthus Corbels

MAC 30  
MAC 36  
MAC 42  
MAC 48  
MAC 54  
MAC 60



### M- w/ Shelf and Plain Provincial Corbels

MPPC 30  
MPPC 36  
MPPC 42  
MPPC 48  
MPPC 54  
MPPC 60



### M- w/ Shelf and Traditional Corbels

MTT 30  
MTT 36  
MTT 42  
MTT 48  
MTT 54  
MTT 60



### M- w/ Shelf and Provincial Corbels

MPSW 30  
MPSW 36  
MPSW 42  
MPSW 48  
MPSW 54  
MPSW 60



### M- w/ Shelf and Arts and Crafts Corbels

MART 30  
MART 36  
MART 42  
MART 48  
MART 54  
MART 60





This page left intentionally blank

The Q-Series is constructed from solid wood and veneer core plywood. It is available in standard sizes to fit up to a 60" cook top. Custom widths, heights and depths are available.

**SPECIAL FEATURE!** The panel above the shelf on the Q-Series removes for easier installation. The removable panel is a **no cost option**. The case will be the stated dimension and the front panel will overhang the sides 1/16" on the left and right, i.e. the sides of a 36" Q will be 36" the face panel will be 36-1/8". Order option MRP.

See ventilation section for available liner/ventilators.




Q-Series Hood with Bracket Corbels and Full Length Shelf 36 x 30.  
Crown molding not included

Panel above shelf now removes for easy installation.  
Order Option MRP

2" top rail is fixed to land crown

1/8" radius on shelf edges



Standard heights of 24, 30, 36, 42 and 48" (custom sizes available)

### Q- w/ Shelf and Acanthus Corbels

QAC 30  
QAC 36  
QAC 42  
QAC 48  
QAC 54  
QAC 60



### Q- w/ Shelf and Traditional Corbels

QTT 30  
QTT 36  
QTT 42  
QTT 48  
QTT 54  
QTT 60



### Q- w/ Shelf and Arts and Crafts Corbels

QART 30  
QART 36  
QART 42  
QART 48  
QART 54  
QART 60



### Q- w/ Shelf and Provincial Corbels

QPRS 30  
QPRS 36  
QPRS 42  
QPRS 48  
QPRS 54  
QPRS 60



### Q- w/ Shelf and Plain Provincial Corbels

QPPC 30  
QPPC 36  
QPPC 42  
QPPC 48  
QPPC 54  
QPPC 60



### Q- w/ Simple Brackets

QBKT 30  
QBKT 36  
QBKT 42  
QBKT 48  
QBKT 54  
QBKT 60



**Sorrento Hood Supports are available for this hood.**



The R-Series is available in standard sizes to fit up to a 60" cook top. Custom widths, heights and depths are available. It is constructed from solid wood and veneer core plywood. The top panel on the R-Series removes for easier installation.


Brackets below the shelf can be deleted.

**New Option** no charge molding package 2 is now available for a simpler, cleaner look. See page 5 for details.

R-Series with Raised Panel Top –  
RRP is shown

Crown molding is not included


Please note: 30" and 36" wide units have 2  
panels verses the three shown



Standard heights of 24, 30, 36 and 42" (custom heights available)


### RRP – R Raised Panel

RRP30\*  
RRP36\*  
RRP42  
RRP48  
RRP54  
RRP60



### RFP – R Flat Panel


RFP30  
RFP36  
RFP42  
RFP48  
RFP54  
RFP60



\*RRP30 and RRP36 will have a two panel top, all others will have three

### RFPA – R Flat Panel with Acanthus only

RFPA30  
RFPA36  
RFPA42  
RFPA48  
RFPA54  
RFPA60



**Sorrento Hood Supports are available for this hood.**




S-Series with standard base, pierced grape molding and molding package 1 shown- Top panel is an applied panel

The S-Series is available in standard sizes to fit up to a 60" cook top. Custom widths, heights and depths are available. It is constructed from solid wood and veneer core plywood. The panel above the shelf on the S-Series removes for easier installation. There is a fixed 1-3/4" rail across the top of the hood to mount crown molding to.

**New Option** no charge molding package 2 is now available for a simple, cleaner look. See page 5 for details.

Order the liner 3" smaller than the hood for proper fit, i.e. 39" hoods get 36" liners. See the ventilator section for more information.




Standard heights of 24, 30, 36 and 42" (custom sizes available)

(Top panel is an applied panel)


### S- Standard Hood

S 33  
S 39  
S 45  
S 51  
S 57  
S 63




### S- Applied Grape Base Carving

SEB 33  
SEB 39  
SEB 45  
SEB 51  
SEB 57  
SEB 63




### S- Raised Panel Square Base

SRS 33  
SRS 39  
SRS 45  
SRS 51  
SRS 57  
SRS 63




### S- Raised Panel Arched Base

SRA 33  
SRA 39  
SRA 45  
SRA 51  
SRA 57  
SRA 63



### S- Decorative Panel Base

SDP1 33  
SDP1 39  
SDP1 45  
SDP1 51  
SDP1 57  
SDP1 63




**Sorrento Hood Supports are available for this hood.**

The X-Series gives the look of a big mantel hood with columns but can accommodate a liner the full width of the hood. This hood can be made as small as 36" wide and fits a Stanisci 36" liner (34-3/8") The X-Series is constructed from solid wood and veneer core plywood.

No charge molding package 2 is available for a simpler, cleaner look. See page 5 for details.

See ventilation section for available liner/ventilators.  
Corbels are priced separately.



**XRA-Series with Provincial corbels with molding package 1 shown in Knotty Alder**  
*Crown molding not included*

Standard heights of 24, 30, 36 and 42" (custom heights available)

### X- Standard Valance


XRA 3624  
XRA 3630  
XRA 3636  
XRA 3642

XRA 4224  
XRA 4230  
XRA 4236  
XRA 4242

XRA 4824  
XRA 4830  
XRA 4836  
XRA 4842

XRA 5424  
XRA 5430  
XRA 5436  
XRA 5442


XRA 6024  
XRA 6030  
XRA 6036  
XRA 6042



The H2-Series is similar to the H series but the columns are slimmed down to 6" wide to take up less wall space and foregoes the area for the corbel to allow other creative treatments including our new Sorrento Hood Supports. Because of the narrow columns only flat panels can be used in the columns of this hood. Custom widths, heights and depths are available. 9" wide columns are also available. The H2-Series is constructed from solid wood and veneer core plywood.

No charge molding package 2 is available for a simpler, cleaner look. See page 5 for details.

See ventilation section for available liner/ventilators.



**\*\*Ceiling height minus 66" (shelf bottom height) plus 2" (bottom of shelf from bottom of hood) = hood height**

**H2-Series with arched valance, Sorrento Hood Supports & baseplates (see page 12), Provincial corbels with molding package 2**  
*Crown molding not included*

Standard heights of 26, 32, 38 and 44" (custom heights available)

### H- Standard Valance


H2 4232\*  
H2 4238\*  
H2 4244\*

H2 4832\*  
H2 4838\*  
H2 4844\*

H2 5432\*  
H2 5438\*  
H2 5444\*

H2 6032  
H2 6038  
H2 6044

H2 6632  
H2 6638  
H2 6644



H2 7232  
H2 7238  
H2 7244

### H- Arched Valance


H2RA 4232\*  
H2RA 4238\*  
H2RA 4244\*

H2RA 4832\*  
H2RA 4838\*  
H2RA 4844\*

H2RA 5432\*  
H2RA 5438\*  
H2RA 5444\*

H2RA 6032  
H2RA 6038  
H2RA 6044

H2RA 6632  
H2RA 6638  
H2RA 6644



H2RA 7232  
H2RA 7238  
H2RA 7244

### H- Decorative Panel Base


H2DP1 4232\*  
H2DP1 4238\*  
H2DP1 4244\*

H2DP1 4832\*  
H2DP1 4838\*  
H2DP1 4844\*


H2DP1 5432\*  
H2DP1 5438\*  
H2DP1 5444\*

H2DP1 6032  
H2DP1 6038  
H2DP1 6044

H2DP1 6632  
H2DP1 6638  
H2DP1 6644



H2DP1 7232  
H2DP1 7238  
H2DP1 7244




See next page for optional  
Sorrento Hood Supports

\*Top center panel is two panels rather than three, due to width of hood H2-Series hood are designed to accept the 6" Sorrento Hood Supports

The H-Series mimics the hearth look of the W-Series and O-Series, but does not require the additional space needed when the pillar goes to the counter. Custom widths, heights and depths are available. The H-Series is constructed from solid wood and veneer core plywood.

**New Option** no charge molding package 2 is now available for a simpler, cleaner look. See page 5 for details.

See ventilation section for available liner/ventilators.



H-Series with arched valance, Traditional corbels and molding package 1

*Crown molding not included*

**\*\*Ceiling height minus 66" (shelf bottom height) plus 13.5" = hood height**


Standard heights of 44, 50 and 56" (custom heights available)

### H- Standard Valance

H 5444\*  
H 6044\*  
H 6644

H 5450\*  
H 6050\*  
H 6650

H 5456\*  
H 6056\*  
H 6656




### H- Arched Valance

HRA 5444\*  
HRA 6044\*  
HRA 6644

HRA 5450\*  
HRA 6050\*  
HRA 6650

HRA 5456\*  
HRA 6056\*  
HRA 6656




### H- Decorative Panel Base

HDP1 5444\*  
HDP1 6044\*  
HDP1 6644

HDP1 5450\*  
HDP1 6050\*  
HDP1 6650

HDP1 5456\*  
HDP1 6056\*  
HDP1 6656



\*Top center panel is two panels rather than three, due to width of hood

H-Series hood are designed to accept the following corbel sizes

COR-AC2, COR-TT2, CBL-PRW3, CBL-ART3, CBL-PPC3, CBL-ARF3




The L-Series is an elegant hearth style hood with a generous display niche. The large crown wrapped mantel shelf makes a statement in any kitchen. The bead board panel on the L-Series removes to give access for ventilation installation. The L-Series is constructed from solid wood and veneer core plywood. Custom widths, heights and depths are available.

Recess in the display niche is sized to fit 3" puck lights.

See ventilation section for available liner/ventilators.

**L-Series with Acanthus base and top carving,  
Acanthus corbels and molding package 1**  
*Top crown not included*



**\*\*Ceiling height minus 66" (shelf bottom height) plus 14" = hood height\*\***


Standard heights of 44, 50 and 56" (custom heights available)

### L- Standard

L 5444  
L 6044  
L 6644

L 5450  
L 6050  
L 6650

L 5456  
L 6056  
L 6656




### L-Applied Acanthus Base Carving

LAB 5444  
LAB 6044  
LAB 6644

LAB 5450  
LAB 6050  
LAB 6650

LAB 5456  
LAB 6056  
LAB 6656




### L-Applied Acanthus Base and Top Carving

LABT 5444  
LABT 6044  
LABT 6644

LABT 5450  
LABT 6050  
LABT 6650

LABT 5456  
LABT 6056  
LABT 6656




Corbels are priced separately

L-Series hood are designed to accept the following corbel sizes  
COR-AC2, COR-TT2, CBL-PRW3, CBL-ART3, CBL-PPC3, CBL-ARF3

The N-Series is a hearth style that does not go to the countertop. The substantial mantel shelf gives it great presence in the kitchen. Custom widths, heights and depths are available. The N-Series is constructed from solid wood and veneer core plywood.

**Option** no charge molding package 2 is now available for a simpler, cleaner look. See page 5 for details.

See ventilation section for available liner/ventilators.



\*\* Ceiling height minus 66" (shelf bottom height) + 2" (column below base) = hood height



**N-Series with arched valance, Acanthus corbels and molding package 1**

*Crown molding not included*


Standard heights of 30, 36, 42 (custom heights available)

### N- Raised Arched

NRA 5432\*  
NRA 6032\*  
NRA 6632

NRA 5438\*  
NRA 6038\*  
NRA 6638

NRA 5444\*  
NRA 6044\*  
NRA 6644




### N- Decorative Panel 1 Base

NDP1 5432\*  
NDP1 6032\*  
NDP1 6632

NDP1 5438\*  
NDP1 6038\*  
NDP1 6638


NDP1 5444\*  
NDP1 6044\*  
NDP1 6644



\*Top center panel is two panels rather than three, due to width of hood

N-Series hood are designed to accept the following corbel sizes:

COR-AC2, COR-TT2, CBL-PRW3, CBL-ART3, CBL-PPC3, CBL-ARF3




**Sorrento Hood Supports are available for this hood.**

The U-Series is rich with detail. Its' display niche and large crown molding wrapped mantel shelf make a statement in any kitchen. Custom widths, heights and depths are available. The U-Series is constructed from solid wood and veneer core plywood.

\*Please note, because the U-Series comes down to the counter, local code requires a certain distance between the pillar and the cooking surface, please check local code. In most areas, tiling the inside of the pillar eliminates this requirement. Recess in the display niche fits 3" puck lights.

At no charge molding package 2 is available for a simple, cleaner look. See page 5 for details.

See ventilation section for available liner/ventilators.



**U-Series with standard valance, molding package 1 and Optional Sorrento hood supports with Traditional corbels**

Top crown molding not included

Height is calculated by taking ceiling height - 66 ( counter height plus desired hood height off cooking surface) plus 2 column projection below base height.

### U- Standard

Standard heights of 32, 38 and 44" (custom sizes available)

U 6632

U 6638

U 6644

U 7232

U 7238

U 7244

U 8432




U 8438

U 8444


U 9032

U 9038


U 9044



**U-Series also available with Sorrento hood supports. See next page for more information**



Comes  
STANDARD with  
Spice Rack - n/c




### 1. Side Choice:



Slab both sides – n/c




Panel both sides – not recommended if mounted against cabinets




Hybrid  
Slab on outside and  
panel on inside

### 2. Base Plate:

28" tall – no base plate – n/c




29" tall plus 1" base plate




### 3. Front :

No front door, slab front – n/c



Front door





This page left blank on purpose




### W- Solid Valance

W 6660  
W 7260  
W 8460  
W 9060

W 6672  
W 7272  
W 8472  
W 9072

W 6684  
W 7284  
W 8484  
W 9084




### W- Arched Valance

WRA 6660  
WRA 7260  
WRA 8460  
WRA 9060

WRA 6672  
WRA 7272  
WRA 8472  
WRA 9072

WRA 6684  
WRA 7284  
WRA 8484  
WRA 9084




### W- Decorative Base Panel

WDP1 6660  
WDP1 7260  
WDP1 8460  
WDP1 9060


WDP1 6672  
WDP1 7272  
WDP1 8472  
WDP1 9072

WDP1 6684  
WDP1 7284  
WDP1 8484  
WDP1 9084



Spice racks within lower cabinet.  
Corbel and door pull out to access spice rack. Spice rack is maple with three adjustable shelves and one fixed shelf

### Order Option: WSR




W-Series hood are designed to accept the following corbel sizes  
COR-AC2, COR-TT2, CBL-PRW3, CBL-ART3, CBL-PPC3, CBL-ARF3

The O-Series is rich with detail. Its' display niche and large crown molding wrapped mantel shelf make a statement in any kitchen. The bead board panel on the O-Series removes to give access for easier installation. Custom widths, heights and depths are available. The O-Series is constructed from solid wood and veneer core plywood.

\*Please note, because the O-Series comes down to the counter, local code requires a certain distance between the pillar and the cooking surface, please check local code. In most areas, tiling the inside of the pillar eliminates this requirement. Recess in the display niche fits 3" puck lights.

**New Option** no charge molding package 2 is now available for a simple, cleaner look. See page 5 for details.

See ventilation section for available liner/ventilators.




Standard heights of 60, 72 and 84" (custom sizes available)

### O- Standard

- O 6660
- O 7260
- O 8460
- O 9060

- O 6672
- O 7272
- O 8472
- O 9072

- O 6684
- O 7284
- O 8484
- O 9084



Spice racks within lower columns. Corbel and door pull out to access spice rack. Spice rack is maple with three adjustable shelves and one fixed shelf

**Order Option:  
WSR**

### O- Applied Acanthus Base Carving

- OAB 6660
- OAB 7260
- OAB 8460
- OAB 9060

- OAB 6672
- OAB 7272
- OAB 8472
- OAB 9072

- OAB 6684
- OAB 7284
- OAB 8484
- OAB 9084




### O- Applied Acanthus Base and Top Carving

- OABT 6660
- OABT 7260
- OABT 8460
- OABT 9060

- OABT 6672
- OABT 7272
- OABT 8472
- OABT 9072

- OABT 6684
- OABT 7284
- OABT 8484
- OABT 9084



O-Series hood are designed to accept the following corbel sizes  
COR-AC2, COR-TT2, CBL-PRW3, CBL-ART3, CBL-PPC3, CBL-ARF3


Sorrento hood supports are a totally new product. Specifically designed to be placed under wood range hoods they offer a distinctive visual statement and additional storage.

Different widths and styles are available with standard built in spice racks.




Showroom by Builder Preferred Cabinetry, Inc. - KS






Slab sides



Door Panel sides



Hybrid slab one side door panel the other, sold in mirror pairs



Most hoods look good with a 6" hood support, these designs include

G, T, E, D, B, M, Q, H2, N

Other hoods can accommodate the wider 9" hood supports and look proportional. These hood designs include the H2, N and U.

Custom hoods can also include hood supports.

There are three options to be selected when specifying a hood support

1.) Side type:

A.) Solid flat slab on both sides

B.) Door panels on both sides.

C.) Hybrid slab on one side door panel on the other we call this a hybrid design, they are sold in mirror pairs.

2.) Door Front: 9" wide Hood Supports can accommodate either a door on the face or a slab panel, 6" must have a slab panel or a door with a flat center panel.

3.) Bottom Plate: All supports with or without bottom plate will be 28" or 30" tall

Please note that fillers will be added to the hood for the supports to sit under and the liner specified will be reduced by the width of the supports. The hood must be wider than the cooking surface under it and many building codes require spacing between the cooking surface and flammable objects. Please follow local codes.



Slab flat panel






Door panel



Bottom Plate


Spice Rack is standard






Comes  
STANDARD with  
Spice Rack - n/c


### 1. Side Choice:



Slab both sides – n/c




Panel both sides – not recommended if mounted against cabinets




Hybrid  
Slab on outside and  
panel on inside

### 2. Base Plate:

28" tall – no base plate – n/c




29" tall includes base plate



### 3. Front :

No front door, slab front – n/c



Front door, must be flat panel





This page left intentionally blank

Stanisci Design will make modifications to our hoods or build your custom designs. We will engineer your design to fit our ventilation units and provide a complete functioning custom wood range hood canopy. Please contact us for more information. A quick or detailed drawing or a photo from houzz will help us understand the look you are going for.

Visit us on houzz and facebook to see many more....



# QUICK & SIMPLE

1. **Communicate what the hood or valance you are looking for looks like. This does not need to be to scale or have all the detail. We have found pictures or drawings are usually the easiest and quickest method to communicate the essence of the design you are looking for. Common things sent to us are.**
  - a) **Pictures**
  - b) **Hand drawn rough sketches**
  - c) **Catalog pages of current designs with the modifications identified.**
  
2. **Identify the wood species, width and height of the hood or valance.**
  
3. **Stanisci Design will provide you a quote for your project. 98% of all custom quotes are completed within one business day. During this part of the quoting process, Stanisci Design will make recommendations on any changes which would reduce cost or otherwise improve the project. If you are having us modify a hood with a competitors ventilation, unless otherwise requested, we will also provide a quote with a comparable ventilation from Stanisci Design. This will allow you to compare units.**
  
4. **At time of order, Stanisci Design will provide a CAD drawing if necessary which will ensure we have adequately captured all your requirements.**

### *Professional Mesh Liners*

#### *Technical Features:*

- Dimmer controlled halogen lighting
- Variable speed fan control
- Large dishwasher safe perforated stainless steel mesh insert filters
- Internal and external blowers
- Seven blower combinations available
- Sizes to fit 30" through 60" decorative range hoods
- 22 gauge Stainless
- Made exclusively for Stanisci Design by Modenaire Ventilation




Stanisci Design liners are IN STOCK for immediate shipment. Ventilators designed to specifically fit Stanisci Design wood range hoods or custom hoods of your design.

#### Features your customers want:

- Dishwasher safe filters
- Easy cleaning
- Dimmer controlled halogen lighting
- European design
- Two year in home warranty
- Quiet, variable speed blower
- **NEW** - Reducer option allows for 600 CFM units to be reduced to 300 CFM

\*Note: Mesh liners no longer have handles as shown in picture



Model and CFM	Amps	Ducting	Suggested Use
<b>SM600(internalBlower) with 300 CFM Converter</b>	<b>5.0 110V</b>	<b>8"round</b>	<b>Standard range requiring less than 300 CFM &amp; air makeup system not desired</b>
PML600 (internal blower)	5.0, 110V	8" round	Standard range or small commercial range
PML1000SM (internal blower)	7.0, 110V	10" round	Commercial range up to 48" wide without grill
PML1200SM (internal blower)	7.0, 110V	10" round	Commercial range up to 48" wide without grill **not available for 30" liners
PML600R (external blower unit)	7.0, 110V	10" round	36" or smaller commercial range without grill
PML1200R (external blower unit)	7.0, 110V	10" round	Any commercial range without grill
PML1500R (external blower unit)	7.0, 110V	10" round	Any range with WOK and/ or Grill

28-3/8" through 40-3/8" has 2-50W halogen lights; 46-3/8" through 54-3/8" has 3-50W halogen lights; 58-3/8" has 4-50W halogen lights.

\* Island applications add \$150 and an I to the nomenclature i.e. PML-600-36I

### Vent Width / Model

Wood Hood Model and Size	28-3/8"	34-3/8"	40-3/8"	46-3/8"	52-3/8"	58-3/8"
	30	36	42	48	54	60
G, T, I**	NA	36◇	42	48	54	60
H2	42	48	54	60	66	72
E, D, B	NA	36	42	48	54	60
W, O, U	NA	NA	NA	66	72	84, 90
H, L, N	NA	54	60	66	72	84
M, Q, R, X	30	36	42	48	54	60
S, J, A	33	39	45	51	57	63



◇ 1000 CFM internal blower will not fit in 36" island hood. \*\* Requires Island liner

### Professional Baffle Filter Ventilators Technical Features


- Dimmer controlled halogen lighting
- Variable speed fan control
- Large dishwasher safe brushed stainless steel baffle filters
- Double wall construction
- Large capture area
- Internal and external blowers
- Seven blower combinations available
- Sizes to fit 30" through 60" decorative range hoods
- 22 gauge Stainless Steel.



Stanisci Design liners are IN STOCK for immediate shipment. Ventilators are designed specifically to fit Stanisci Design wood range hoods or custom hoods of your design.

#### Features your customers want:

- Dishwasher safe filters
- Easy cleaning
- Dimmer controlled halogen lighting
- Commercial design
- Two year in home warranty
- Quiet variable speed blower



Model and CFM	Amps	Ducting	Suggested Use
<b>SM600(internalBlower) with 300 CFM Converter</b>	<b>5.0 110V</b>	<b>8"round</b>	<b>Standard range requiring less than 300 CFM &amp; air makeup system not desired</b>
PSL600 (internal blower)	5.0	8" round	Standard range or small commercial range
PSL1000SM (internal blower)	7.0	10" round	Commercial range up to 48" wide without grill
PSL1200SM (internal blower)	7.0	10" round	Commercial range up to 48" wide without grill extra quiet
PSL600R (external blower unit)	7.0	10" round	36" or smaller commercial range without grill
PSL1200R (external blower unit)	7.0	10" round	Any commercial range without grill
PSL1500R (external blower unit)	7.0	10" round	Any range with WOK and/or Grill

28-3/8" through 40-3/8" has 2-50W halogen lights; 46-3/8" through 54-3/8" has 3-50W halogen lights; 58-3/8" has 4-50W halogen lights.


\* Island applications add \$150 and an I to the nomenclature i.e. PML-600-36I

### Vent Width / Model

Wood Hood Model and Size	28-3/8" / 30	34-3/8" / 36	40-3/8" / 42	46-3/8" / 48	52-3/8" / 54	58-3/8" / 60
G†, T†, I†**	NA	36◇	42	48	54	60
H2†	NA	36 ◇	42	48	54	60
E†, D, B,	NA	36	42	48	54	60
W†, O, U	NA	NA	NA	66	72	84, 90
H†, L, N	NA	54	60	66	72	84
M, Q, R, X	30	36	42	48	54	60
S†, J†, A†	33	39	45	51	57	63



† If ordering arched bases on the G,T,I,E,W,H,H2,S,J or A the base height must be increased by 2", this is done at no charge, \*\* Order Island  
◇ 1000 CFM internal blower will not fit in 36" island hood



**\*Diagram depicts Professional Mesh Liner, increase installed duct heights on the Professional Baffle Liner by 2-3/4"**

**Please note some cooktops require the range hood to be mounted higher than 30", see manufacturers specifications**



This page left intentionally blank

## Value Liners

### Technical Features:



- Dual 40 watt lights
- Multi-speed control
- Dishwasher safe filter
- 390 CFM blower
- 30" and 36" sizes available
- 6" round duct with built in backdraft damper
- Silver metallic powder coat finish



Value liners are IN STOCK for immediate shipment. Liners are designed to specifically fit Stanisci Design wood range hoods or custom hoods of your design.

Features your customers want:

- Dishwasher safe filter
- Easy cleaning
- Silver Metallic finish
- Stainless look
- Two year in home warranty
- Quiet, multi speed blower



	30	36
Wood Hood Size and Model	28-3/8	34-3/8
G, T, Vchim, Vrachim	30	36
E, B, D	N/A	36
R, M, Q, X	30	36
S, J, A	33	39
H, L, N	N/A	54
I	N/A	N/A

**\*PLEASE NOTE: If your range hood has an arch**

**Increase the vent height by the following:**

**RA or DP2 base G,T,D,S,A,W,O,H,L,E,N any size increase by 2-1/2"**

**DP1 base G,T,D,S,A,W,O,H,L,E,N any size increase by 3-1/2"**

**M 30-36" wide increase by 4", M 42-60" wide increase by 6"**

**Q-series increase by 6"**



All Stanisci Design Ventilation Units are Listed

**Ventilation fundamentals:****Length and width**

No range hood on the market is completely effective unless it covers the heat source completely. Wall mounted hoods should extend at least to the front of the cooktop and on a standard cooktop, cover the entire cooktop from left to right. When using a residential commercial cooktop, the hood should overextend the cooktop a minimum of 3" on both the left and right side if possible.

**Height**

The bottom of the hood should be 30" from the cooking surface. It generally provides the most effective and attractive-looking installation. Some cooking appliance manufacturers require wood range hoods to be mounted higher. Please install according to the cooking appliance manufacturers recommendation.

In situations where ducting has several elbows or runs long distances, it is recommended to step up to the next larger blower size.

**Internal vs. Remote/Inline**

Internal blowers are mounted inside the wood hood. They push the air through the duct. External or inline blowers are mounted on the roof, outside wall or in the attic (inline). External blowers pull air through the duct and offer superior performance to internal blowers.

Note: Externally mounted blowers are always recommended over residential commercial ranges; they are far superior in performance to internal mounted motors.

**System Noise**

Noise is created in ventilation by air movement. Disrupting air flow with ducting turns increase noise. To minimize noise, run the ducting as straight as possible. The swirling of air within the blower unit also creates noise. Using a remote blower places that air movement noise out of the kitchen and thereby reduces overall noise at the cook top.

**Back draft prevention:**

Stanisci Design liners do not contain back draft dampers. If the cold or hot air has made its way to the range hood the kitchen will be effected. We recommend wall or roof caps with spring loaded dampers, see duct accessories for information. We also sell inline back draft dampers that can be used in place of or in addition to wall and roof caps with dampers.

#### DECORATIVE VALANCE STYLES

Stanisci Design is now offering 4 styles of arched valances. These valances will add a decorative element to windows, arch ways, over refrigerators or in other areas you wish to accent. These four styles are priced in three inch increments from 30" to 63" wide . Odd sizes will be met by narrowing or extending the side stiles, thus eliminating the need for custom charges. If you are between sizes, the valance will be priced by using the price on the next larger size. When sold with a hood, the valance will be packaged with the hood, additional packaging fees will apply.

When ordering, specify the entire width of the **valance only**. Pilaster width is not included in the width of the valance. For example a 48" wide AV-AS with raised panel side pilasters (8" each) would have a total width of 64".


All valances come with a 3" side stile except for the AV-DP1. AV-DP1's which are less than 39" have a 3" side stile. AV-DP1's between 42-45" have a 4" side stile and over 45" have a 6" side stile.

All valances will be sanded to 180 grit and ready to finish.


**Standard Widths: 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63"**

**Standard Heights: 10 and 16"**


**(custom sizes available)**




**Arched Slab**  
2.5" arch height  
(AV-AS)



**Raised Arched**  
2.5" arch height  
(AV-RA)



**Decorative Panel 1**  
3.5" arch height  
(AV-DP1)




**Raised Arch with Key**  
2.5" arch height  
(AV-RAK)

#### DECORATIVE VALANCE


**Add on options- All options shown with the AV-RA valance**

Side Slab Panels AV-SSP



**AV-SSP Option** – Side Slab Panels. Valance and sides come knocked down as shown. Two sides and valance are sanded to 180 grit, ready to finish. Sides are edge banded on the bottom only. Parts are doweled and ready to be glued and clamped. Specify depth of 10, 12, 18 or 24”.


Side Pilaster (AV-SP)



**AV-SP Option** – Side Pilasters. Valance and side pilasters. The two pilasters and the valance are sanded to 180 grit ready to finish. Pilasters have a finished bottom. Panel attaches to pilaster with metal brackets and screws (included). Width will be 5” for each pilaster. Specify height of pilaster of 12, 15, 21 or 30”.

Specify depth of 10, 12, 18 or 24”.

Arched Valance Raised Panel Side Pilaster (AV-RPSP)



**AV-RPSP Option** – Raised Panel Side Pilasters. Pilasters and valance are sanded to 180 grit ready to finish. Pilasters have a finished bottom. Panel attaches to pilaster with metal brackets and screws (included). Width will be 8” per pilaster. Specify height of pilaster of 12, 15, 21 or 30”.

Specify depth of 10, 12, 18 or 24”.

**AV-PT Option** - A flat top panel is also available. It will be sized to the interior dimensions of the valance and sides in the same species as the valance. It will be 1/2” material.